

Customer:
Glow Aminos

EA Sample ID: 26EA0216-022
Sample Name: Semax Liquid Spray
Sample Type: Liquid
Batch/Lot: GI-010018

Date Received:
02/16/2026
Date Completed:
02/22/2026



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

Analysis Type	Method	Date Tested	Status	
Peptides	HPLC	02/22/2026	Complete	
Bacterial Endotoxins	USP <85>	02/22/2026	Complete	

Serving Size: N/A

Peptide Analysis

Analyte	Result	Specification	LOD
Semax	52.17mg/bottle	50mg/bottle (200 sprays)	0.1%
Identity of the analyte was confirmed by retention time concordance with a certified reference standard, per USP <621>			
Chromatographic Purity	>98%	>98%	0.1%
Bacterial Endotoxins (Gel-Clot: 1:10 Dilution)	<1.25 EU/ml	<5 EU/ml	$\lambda =$ 0.125 EU/mL

NOTES: Injectable peptides may include acceptable salts, sugars, or buffering agents added to improve solubility and stability. These excipients are non-chromophoric, typically not detected by HPLC, and are not considered impurities.

LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION

 Ethos Analytics Laboratory
3020 E Camelback Rd STE 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io
Lic #: 000026LRCND60176649
ISO/IEC 17025 Acc #: 117798

Noel Samsum
Laboratory Director
22-Feb-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.